


高嘉地毯


上海制造

旭辉


國家標準起草單位
源自一九九七年上海地毯



旭辉 -01-03-05-12-32
0.5 : 0.5 : 2 : 3 : 4




旭辉 -01-03









旭辉-01-03-05-07
1:2:35:35




旭辉 -05-07
4.5 : 5.5




旭辉-01-03-05-22
1:2:35:35




旭辉-12-07




旭辉 -01-05-07-72



旭辉-01-03-05-32
1:2:35:35




旭辉 -62-72-07-03



旭辉-01-03-05-62
1:1:1:1



旭辉-01-03-05



旭辉-01-03-05-72-62
2: 3: 4: 0.5 : 0.5



旭辉-03-05-12



旭辉 -01



旭辉 -03



旭辉 -05




旭辉 -07




旭辉 -09




旭辉 -12




旭辉 -22



旭辉 -32



旭辉 -62




旭辉 -72


Specification 技术指标

Product Name 产品名称	旭辉
Product Code 产品编码	LAGOM 215
Tufted construction 簇绒结构	Multi-Level loop 高低圈绒
Fiber 纱线	100%Nylon 100% 尼龙
Dye method 染色工艺	Solution Dyed 原液染色
Gauge 针距	1/12
Tufted weight(g/m ²) 绒重 (克 / 平方米)	560±5%
Tile size(mm) 地毯尺寸 (毫米)	250 x 1000
Pile height(mm) 平均绒高 (毫米)	4.0 ± 0.5
Total thickness(mm) 总厚度 (毫米)	6.5 ± 0.5
Standard Backing 标准底背	Glass fiber reinforced PVC


Recommended installation methods 建议铺装方式



Herringbone
人字铺



Ashlar
上下错位铺



Basketweave
网篮形



Anti-fouling



Anti-static




Environmental



Passed various tests



Fashion colors



100%B,C,F Yarn



Reduced Flammability




Isolation acoustic



Colorfast



Chair roulettes



No edge ravel



Wear resistance



Soil Resistance




Wear Warranties



Dimensional Stability



Long life-span



Easy to transport



Non-moid